


OUTDOOR GARDEN RANGE

2020/2021

MORRISON[®]





PRODUCT RANGE

Durable, hardworking and well designed, the Morrison family of products offers a great combination of ease of use at an affordable price. Morrison products are known and loved by thousands of users worldwide.

RELIABLE PERFORMANCE

With international brand engines Briggs & Stratton and AL-KO, a leading power garden equipment brand in Germany. The Briggs & Stratton® engines feature the latest ReadyStart™ and RapidStart™ engines for easy starting. The AL-KO* branded engine features a cast iron sleeve and a high specification air filtration system, which means better engine protection and performance for a long working life.

*AL-KO specified engines as used on AL-KO mowers in Europe



ELECTRIC CHAINSAW

552783	
MOTOR	Powerful 2000 watt motor
CHAIN BAR SIZE	16" (40cm)
CHAIN	Oregon
FEATURES	<ul style="list-style-type: none">• Heavy motor windings• Automatic oiler• Tool-free chain tension adjustment• Hand adjustable bar nut• Safety chain brake



MCS38 PETROL CHAINSAW

552683	
DISPLACEMENT	37.2cc
CHAIN BAR SIZE	16" (40cm)
CHAIN	Oregon
CARBURETOR	Walbro carburettor
FEATURES	<ul style="list-style-type: none">• Clean air intake system• Anti-vibration system• Chrome lined cylinder• Electronic ignition• Safety chain brake

4 YEAR WARRANTY

Morrison products carry a 4 year consumer warranty. With a wide product range that is durable, hardworking and well-designed, you can trust Morrison. A range of quality spares and accessories are available. Morrison recommends you use Masport/Morrison Oil and accessories - available from your local Morrison agent.



MCS45E PETROL CHAINSAW

553056	
DISPLACEMENT	45cc
CHAIN BAR SIZE	18" (45cm)
CHAIN	Oregon
CARBURETOR	Walbro carburettor
FEATURES	<ul style="list-style-type: none">• Clean air intake system• Anti-vibration system• Chrome lined cylinder• Twin ring piston• Easy start system• Safety chain brake



CLASSIC 420

564904

ENGINE	Powered by Briggs & Stratton 125cc OHV Series 300 Primer 4 stroke engine
CHASSIS	420mm (16.5") steel chassis
BLADE SYSTEM	Bar Blade System
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Two piece lower handle for easy catcher access
WHEELS	Front 150mm (6") and Rear 200mm (8") wheels
CATCHER	Fabric Catcher



BOXER 2'N1

578752

ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



TITAN 2'N1

578759

ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



TYPHOON UTILITY 460

572821

ENGINE	Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine
CHASSIS	460mm (18") heavy duty steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Flat handle• Reinforced lower handle for added strength
WHEELS	Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels



SURECUT

578755

ENGINE	Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



ROCKET

578754

ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



BOXER 2'N1 SP

578753

ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none">• Comfortable upturned upper handle• Reinforced lower handle for added strength
WHEELS	Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher

4 YEAR
WARRANTY ON
ALL MORRISON
PRODUCTS



MAXIMUS

578743

ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> • Comfortable upturned upper handle • Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



MAGNUM

578766

ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> • Comfortable upturned upper handle • Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



ELITE

578765

ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> • Comfortable upturned upper handle • Reinforced lower handle for added strength
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



ELECTRIC BLOWER VAC

553163

MOTOR	Powerful 2400 watt, variable speed motor that delivers 270km/h of blowing power
BAG	Large capacity 35 litre bag
FEATURES	<ul style="list-style-type: none"> • Easy action lever to switch from blower to vac • Collected material is automatically shredded reducing waste volumes by up to 90% • Carry strap is included for easy manoeuvring • Lightweight and easy to use



PETROL BLOWER VAC - EZI SWITCH

552943

ENGINE	A robust 30cc two stroke engine
BAG	Large capacity 40 litre bag
FEATURES	<ul style="list-style-type: none"> • Portability - freedom from power cords • Blow material away or vacuum it up - with EZI Switch it just takes a few seconds • A clip and zip design is provided for removing and emptying the bag • Collected material is automatically shredded reducing waste volumes by up to 90% • Carry strap is included for easy manoeuvring



PETROL BLOWER BL260E S2

553060

ENGINE	25.4cc engine delivers ample power
FEATURES	<ul style="list-style-type: none"> • High tolerance engine crafted with precision engine bearings • High capacity blowing power • Up to 265km/h air speed • Two interchangeable blower tubes supplied allow you to clear a focused or wide area easily and efficiently • Lightweight and easy to use

4 YEAR
WARRANTY ON
ALL MORRISON
PRODUCTS



BC230E/B S3 CURVED SHAFT LINE TRIMMER

553153

ENGINE Full crankshaft 22.5cc engine

CUT WIDTH 430mm (17") cutting width

HANDLE Loop handle for easy manoeuvrability

SHAFT Curved alloy split shaft

FEATURES

- Soft start system
- Centrifugal clutch included for operator safety
- Flexi steel drive shaft
- Bump feed line trimmer head
- Single point harness and fuel container included
- Curved alloy split shaft for easy storage



BC260 SST SPLIT SHAFT LINE TRIMMER

552553

ENGINE Semi-pro full crankshaft 25.4cc engine

CUT WIDTH 415mm (16") cutting width

HANDLE Loop handle with safety bar

SHAFT Alloy 2 piece split shaft

FEATURES

- Anti-vibration system
- Bump feed line trimmer head and 3 tooth grass blade included
- Centrifugal clutch included for operator safety
- Solid steel 2 piece drive shaft
- An easy start system
- Full harness and fuel container included
- *SST - Split Shaft Technology allows you to convert this single linetrimmer into a versatile pole pruner, hedge trimmer, edger or even a garden cultivator. Attachments sold separately.



BC430 STRAIGHT SHAFT BRUSHCUTTER

552832

ENGINE Semi-pro full crankshaft 42.7cc engine

CUT WIDTH 440mm (17") cutting width

HANDLE Bullbar handle with intergrated controls

SHAFT Straight long reach alloy shaft

FEATURES

- Anti-vibration system
- Bump feed line trimmer head and 3 tooth grass blade included
- Centrifugal clutch included for operator safety
- Solid steel drive shaft
- Dual ring pistons
- Full harness and fuel container included



BC - EDGER ATTACHMENT

552793

Used with BC260 SST as an Edger

• 65mm cutting depth



BC - GARDEN CULTIVATOR ATTACHMENT

552790

Used with BC260 SST as a Garden Cultivator

• 300mm (12") tilling width
• 80mm (3") tilling depth



BC - POLE PRUNING ATTACHMENT

552792

Used with BC260 SST as a Pole Pruner

• 250mm (10") bar size



BC - HEDGE TRIMMER ATTACHMENT

552922

Used with BC260 SST as a Hedge Trimmer

• 500mm (20") blade length
• Double reciprocating blades
• 720mm shaft length



BC - 1M POLE EXTENSION

552796

Used to extend the reach of BC260 SST attachments

• Straight alloy shaft and solid spline steel drive shaft
• 1 metre extension pole

**4 YEAR
WARRANTY ON
ALL MORRISON
PRODUCTS**



HEDGE TRIMMER

552837

ENGINE	Semi-pro, lightweight, high performance motor
CUT BAR	600mm (24") cutter bar
CUT DIAMETER	28mm cutting diameter means you can get the job done quickly
FEATURES	<ul style="list-style-type: none"> • Precision engine bearings • Full crank shaft, 180 degree rotating handle for easy manoeuvring into difficult spaces • Includes clutch, safety switch, throttle lock out system



ELECTRIC EDGER

552558

MOTOR	1200 watt, 240V electric motor
CUT DIAMETER	190mm (7 1/2")
CUT DEPTH	Cutting depth can range from 25mm (1"), 31mm (1 1/4") or 38mm (1 1/2")



TILLER

550910

ENGINE	Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
TILLING WIDTH	<ul style="list-style-type: none"> • 280mm (11") tilling width (outside tines removed) • 430mm (17") tilling width (standard)
FEATURES	<ul style="list-style-type: none"> • Easy to manoeuvre due to its counterbalanced design • Robust construction



2400 ELECTRIC QUIET SHREDDER

552958

MOTOR	Reversible motor for easy waste discharge
BLADE	Boasts Morrison's adjustable chopping system that is easy to adjust for improved performance
FEATURES	<ul style="list-style-type: none"> • This super quiet auto feed mulcher shredder shreds up to 40mm • Safety switches and overload protection



MORRISON®

Warranty and Disclaimer Info:

All Morrison products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Morrison Outdoor Garden Range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Morrison is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport/Morrison products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171, 407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792, and patents: 330634, 589942/590235, 570911, 605098, 605114.

Masport Limited New Zealand

PO Box 14 349, Panmure, Auckland 1741, New Zealand

P: 0800 4MORRISON

F: 0508 570 570

E: sales@morrisonoutdoor.co.nz

W: www.morrisonoutdoor.co.nz



@morrisonoutdoor



@morrison_aunz

The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.

